Author Index

Adabbo, H. E., L11
Alday, F. G., L11
Antoniou, R., 57

Bernstein, I. M., 73
Bohong, J., 205
Borland, D. W., 57
Brittain, J. O., 83, 93

Cabral, A., 73
Čadek, J., 135
Chai, H. F., 159
Chandler, H. D., 151
Clavel, M., 181
Cosandey, F., 175

Gaal, I., 39
Gdula, Z., 99
Gryziecki, J., 99

Hellstern, E., 213
Hsu, T. Y., 205
Huang, T. S., 83, 93

Kharlamov, Y. A., 1
Kuhlmann-Wilsdorf, D., 107, 119

Laird, C., 159
Lee, E.-W., 45
Li, C.-Y., 217

Maitra, A. K., L5
McNelley, T. R., 45
Meletis, E. I., 235
Menigault, J., 181

Nishida, M., 191

Phani, K. K., L5
Pink, E., L1

Radnoczi, G., 39
Rahouadj, R., 181
Ramirez, P., L11
Ruano, O. A., L11
Ruoff, S., 217
Rosenberg, Z., L17

Schultz, L., 213
Singh, J., 227
Stone, D., 217
Stone, D. H., 73
Svoboda, J., 135
Szökefalvi-Nagy, A., 39

Thompson, A. W., 73

Venkataraman, G., 175

Wayman, C. M., 191
Wayman, C. M., 227

Xuan, Q., 205

© Elsevier Sequoia/Printed in The Netherlands

Subject Index

Alloys
  creep behavior of Ni–Cr alloys with trace additions of cerium, 175
  effect of martensite ordering on shape memory effect in a copper–zinc–aluminium alloy, 205
  electron microscopy studies of precipitation processes in near-equiatomic TiNi shape memory alloys, 191
  formation of secondary austenite during α'–γ transformation in an Fe–Ni–Mn alloy, 227
  glass formation in mechanically alloyed transition metal–titanium alloys, 213
  microstructure and stress–corrosion cracking relationship in an Al–Li–Cu–Zr alloy, 235
  microstructure evolution during processing and superplastic flow in a high magnesium Al–Mg alloy, 45
  mild wear of Al–Si binary alloys during unlubricated sliding, 57
  strain rate effects and associated deformation mode in a nickel-based alloy during low cycle fatigue testing, 181
  superplastic behavior of Al–5wt.%Ca–5wt.%Zn alloy, L11
Aluminium
  effect of martensite ordering on shape memory effect in a copper–zinc–aluminium alloy, 205
  mechanical behavior of β-LiAl, 93
  microstructure and stress–corrosion cracking relationship in an Al–Li–Cu–Zr alloy, 235
  microstructure evolution during processing and superplastic flow in a high magnesium Al–Mg alloy, 45
  mild wear of Al–Si binary alloys during unlubricated sliding, 57
  superplastic behavior of Al–5wt.%Ca–5wt.%Zn alloy, L11
Austenite
  formation of secondary austenite during α'–γ transformation in an Fe–Ni–Mn alloy, 227

Calcium
  superplastic behavior of Al–5wt.%Ca–5wt.%Zn alloy, L11
Carbon
  mechanisms of cyclic softening and cyclic creep in low carbon steel, 159
Cavity growth
  modelling intergranular cavity growth with special reference to the mechanism of coupled diffusion and power-law creep, 135
Cerium
  creep behavior of Ni–Cr alloys with trace additions of cerium, 175
Chromium
  creep behavior of Ni–Cr alloys with trace additions of cerium, 175
  hydrogen attack in a 3Cr–1.5Mo steel at elevated temperatures, 217
Coatings
  detonation spraying of protective coatings, 1
Copper
  effect of martensite ordering on shape memory effect in a copper–zinc–aluminium alloy, 205
  microstructure and stress–corrosion cracking relationship in an Al–Li–Cu–Zr alloy, 235
  transient mechanical response of cyclically loaded copper to strain-rate changes, 151
Corrosion cracking
  microstructure and stress–corrosion cracking relationship in an Al–Li–Cu–Zr alloy, 235
Creep
  creep behavior of Ni–Cr alloys with trace additions of cerium, 175
  mechanisms of cyclic softening and cyclic creep in low carbon steel, 159
  modelling intergranular cavity growth with special reference to the mechanism of coupled diffusion and power-law creep, 135

Defect
  defect structure and mechanical behavior of β-LiIn, 83
Deformation
  strain rate effects and associated deformation mode in a nickel-based-alloy during low cycle fatigue testing, 181
Detonation spraying
  detonation spraying of protective coatings, 1
Diffusion
  modelling intergranular cavity growth with special reference to the mechanism of coupled diffusion and power-law creep, 135
Ductile metals
  accounting for the spall strength of ductile metals by the spherical cavity expansion analysis, L17

Electron microscopy
  electron microscopy studies of precipitation processes in near-equiatomic TiNi shape memory alloys, 191

Failure
  cumulative flaw distribution function for predicting failure of glass, L5
Fatigue
  strain rate effects and associated deformation mode in a nickel-based-alloy during low cycle fatigue testing, 181
  thermal fatigue behaviour of near-eutectoid steel, 73
Flaw
  cumulative flaw distribution function for predicting failure of glass, L5

© Elsevier Sequoia/Printed in The Netherlands

Flash temperatures
demystifying flash temperatures
I. Analytical expressions based on a simple model, 107
demystifying flash temperatures
II. First-order approximation for plastic contact spots, 119

Glass
cumulative flaw distribution function for predicting failure of glass, L5
glass formation in mechanically alloyed transition metal–titanium alloys, 213
Guinier–Preston zones
Guinier–Preston zones and the onset strain of serrated flow, L1

Hydrogen
hydrogen attack in a 3Cr–1.5Mo steel at elevated temperatures, 217

Indium
defect structure and mechanical behavior of β-LiIn, 83
Iron
formation of secondary austenite during α′–γ transformation in an Fe–Ni–Mn alloy, 227

Lithium
defect structure and mechanical behavior of β-LiIn, 83
mechanical behavior of β-LiAl, 93
microstructure and stress–corrosion cracking relationship in an Al–Li–Cu–Zr alloy, 235

Magnesium
microstructure evolution during processing and superplastic flow in a high magnesium Al–Mg alloy, 45
Manganese
formation of secondary austenite during α′–γ transformation in an Fe–Ni–Mn alloy, 227
Martensite
effect of martensite ordering on shape memory effect in a copper–zinc–aluminium alloy, 205
Metals
accounting for the spall strength of ductile metals by the spherical cavity expansion analysis, L17
Microstructure
microstructure and stress–corrosion cracking relationship in an Al–Li–Cu–Zr alloy, 235
microstructure evolution during processing and superplastic flow in a high magnesium Al–Mg alloy, 45
Molybdenum
hydrogen attack in a 3Cr–1.5Mo steel at elevated temperatures, 217

Nickel
creep behavior of Ni–Cr alloys with trace additions of cerium, 175
electron microscopy studies of precipitation processes in near-equiatomic TiNi shape memory alloys, 191
formation of secondary austenite during α′–γ transformation in an Fe–Ni–Mn alloy, 227
strain rate effects and associated deformation mode in a nickel-based alloy during low cycle fatigue testing, 181

Plastic contact spots
demystifying flash temperatures
II. First-order approximation for plastic contact spots, 119
Precipitation
electron microscopy studies of precipitation processes in near-equiatomic TiNi shape memory alloys, 191

Recovery
dynamic recovery of polycrystalline silver, 99
stage IV recovery in deformed tungsten, 39

Serrated flow
Guinier–Preston zones and the onset strain of serrated flow, L1
Shape memory effect
effect of martensite ordering on shape memory effect in a copper–zinc–aluminium alloy, 205
Shape memory alloys
electron microscopy studies of precipitation processes in near-equiatomic TiNi shape memory alloys, 191
Silicon
mild wear of Al–Si binary alloys during unlubricated sliding, 57
Silver
dynamic recovery of polycrystalline silver, 99
Sliding
mild wear of Al–Si binary alloys during unlubricated sliding, 57
Softening
mechanisms of cyclic softening and cyclic creep in low carbon steel, 159
Spall strength
accounting for the spall strength of ductile metals by the spherical cavity expansion analysis, L17
Spherical cavity expansion analysis
accounting for the spall strength of ductile metals by the spherical cavity expansion analysis, L17
Steels
hydrogen attack in a 3Cr–1.5Mo steel at elevated temperatures, 217
mechanisms of cyclic softening and cyclic creep in low carbon steel, 159
thermal fatigue behaviour of near-eutectoid steel, 73
Strain
Guinier–Preston zones and the onset strain of serrated flow, L1
strain rate effects and associated deformation mode in a nickel-based-alloy during low cycle fatigue testing, 181
transient mechanical response of cyclically loaded copper to strain-rate changes, 151
Stress
microstructure and stress–corrosion cracking relationship in an Al–Li–Cu–Zr alloy, 235

Superplastic behavior
superplastic behavior of Al-5wt.%Ca-5wt.%Zn alloy, L11
Superplastic flow
microstructure evolution during processing and superplastic flow in a high magnesium Al-Mg alloy, 45

Titanium
electron microscopy studies of precipitation processes in near-equiatomic TiNi shape memory alloys, 191
glass formation in mechanically alloyed transition metal-titanium alloys, 213
Transformation
formation of secondary austenite during α'-γ transformation in an Fe-Ni-Mn alloy, 227
Transition metal
glass formation in mechanically alloyed transition metal-titanium alloys, 213
Tungsten
stage IV recovery in deformed tungsten, 39

Wear
mild wear of Al-Si binary alloys during unlubricated sliding, 57

Zinc
effect of martensite ordering on shape memory effect in a copper-zinc-aluminium alloy, 205
superplastic behavior of Al-5wt.%Ca-5wt.%Zn alloy, L11
Zirconium
microstructure and stress-corrosion cracking relationship in an Al-Li-Cu-Zr alloy, 235